

Spec # 1058

Customer: _____ Date: _____

Contact: _____ Phone: _____

Fax: _____ Salesman: _____

IC Conventional School Bus

Capacity: 65 WB: 254

Tires

22.5in dia 11R22.5 AH12 Hankook 14ply

Hankook 11R22.5 Z35A Hankook 14ply

Wheels

Disc Front Wheel (285.75MM BC) 8.25 DC Rims

Disc Rear Wheel (285.75MM BC) 8.25 DC Rims

International Wheel Seals (Front)

Tow Hooks

Two Front Tow Hooks

Tow Hook Left Rear

Tow Hook Right Rear

Crossing Gate

Crossing Gate/Front/Electric/Yellow Bumper Mount

Switch Interrupt Crossing Gate

Crossmembers

2 Rear Crossmembers

Axle/Suspension

I-100S 10,000# Front Axle

10-K Front Parabolic Susp.

19,800# Rear Axle

19,800# Rear Axle 2Stg Vari-Rate

Shock Absorbers

Brakes

Hydraulic Brake System

12 x 3 Parking Brake

Hydraulic Traction Control

Brakes Front Hyd Dis 70mm Dia Piston

Brakes Rear Hyd Dis 70mm Dia Piston

Steering

Tilting Steering Column

TAS-66 TRW Power Steering

Exhaust System

Exhaust System Single, Horizontal Aftertreatment Device Frame

Mounted Right Side, Includes Long Horizontal Tailpipe

Tail Pipe Long Horizontal, Exits Right Side Through Bumper

Electrical

Dual Horn

Alternator 200 Amp Bosch

Battery 12v 1300cca

Starting Motor (Delco Remy 39MT)

Manual-Reset Circuit Breakers

Battery Compartment 13" x 15" x 25.5"

Mat Battery Box Top

Circuit Breakers Man Reset

Electrical (cont)	Power Socket 12 Volt DC Mtd in Dash Switch, Battery Shut Off, in Battery Box
Paint	Urethane Exterior Paint Black Flasher Background Rub Rail Paint Flange to Flange Body Interior Paint Color, Spring White
Engine	Gear Ratio - 4.88 Engine Block Heater 120v-1250w for DT466 MaxxForce DT 225HP 2600 Gov Fan Drive, Borg-Warner SA85, Viscous Screw On Type Electronic Throttle Radiator Aluminum 2 row 717 sq. in. Single Element Air Cleaner Electronic Cruise Control Governor, Electronic Road Speed
Transmission	Allison 2500 PTS5-SP L/PTO Less Retarder
Fuel	Fuel/Water Separator w/ Heater and Fuel Filter w/ Chg Ind 65gal Fuel Tank with Cage Right Side Fuel Filler Door with Non-Locking Latch
Gauges	Indicator, Low Coolant Level with Audible Alarm Oil Temperature Gauge (Auto Trans) Ammeter 150 Amp
Body	Conv 78"HR 31'2" +9 Frt/RR 66 Pass 254WB 78" Headroom Easy Tilt Hood Front End, Tilting With Three Piece Construction Skirt Body Conv 14 1/2" 16 ga Assist Handle Over Windshield Ignition Switch Disconnect Body Noise Supression Switch, with red switch in panel Windshield Wipers, Cowl Mounted Windshield Washer - 6 Quart
Frame	Front Bumper - heavy duty, 1/4 in thick Rear Bumper Painted 12" High 3/16" Thick, Hole for Exhaust
Tags/Plates	Instruction Plate 2, Under K/O Window Instruction Plate 2, Under K/O Window Inspection Plate 8"x8" Flush with Floor Mat
Headliner	Perforated Full Length with Sound Abatement in First 2-bow Sections
Rails	Rub-Rails Body 4 Includes Snow Rail Rails Floor level to Radii

Rails (cont)	Rails Wrap-around Below Window Seal Rub Rails Top Edge Shoulder Rails Padded for Conv
Door	Glass Guard Inside Back-up in Lower Section of Rear Door Lock Vandal Rear Door w/Ignition Starter Interlock Door Front Ent Out Opening Electric Split Glass w/ Vandal Lock Switch Location, Steering Wheel
Handles	Hand Rail Ent Door Stainless Steel 4" Above Step
Insulation	Noise Reduction Drv Floor Noise Reduction Roof Bow Cavity Roof and Side Insulation Fiberglass, 1.50" Undercoat Stepwell Sides for Engine Noise Reduction Body Undercoat Fire Resistant
Lettering/Decals	Let. Bat Box Decal: "Bat" 2" Black Lettering Decal Blk 3/4" Stroke Indicating Handle Dir Letters "School Bus" 8" Decl Diamond Refle Decal "Unlawful to Pass When Lights Flash"; Center RR Door - IA Let. Max Cap 2" Blk Decals with Cap Numbers in 2 Places IA
Striping	Striping, Roof Hatch, Rear Decal, Perimeter, 1", Yellow 3M Flourescent Diamond Grade Striping, Seatline 2" Yellow, 3M Flourescent Diamond Grade Striping, Rear End 2" 3M Yellow Flourescent Diamond Grade Striping, Roof Hatch, Front Decal, Perimeter, 1", Yellow 3M Flourescent Diamond Grade Striping, K/O Window Right (2) Perimeter, 1" 3M Flourescent Diamond Grade Yellow Striping, K/O Window Left (2) Perimeter, 1" 3M Flourescent Diamond Grade Yellow Striping, Rear Emergency Door 1" 3M Flourescent Yellow Diamond Grade
Plywood	Sub Floor Plywood 5/8" Ext Grade
Windows	Window Driver Storm Window Stops 12" Opening Window Entrance Door Top Storm Frt Right Clear Tempered Window Entrance Door Bottom Storm Clear Tempered Window K/O Left (2) Horizontal Hinge Window K/O Right (2) Horizontal Hinge Window Tint, Pass, Conv 28% Tempered Windshield; 3 Flat Pieces, 73% Light
Seats	Seat Driver Mech Suspension Magnum 200 Arm Rest Driver Right Magnum 200 Seat Belts Seat Drv 3 Point Adj D-loop

Seats (cont)	Seat Back Pass High Back 42 1/2" Seat Pass Left 2 Leg 26" (01) Seat Pass Left 2 Leg 39" (10) Seat Pass Right 2 Leg 39" (11)
Upholstery	Upholstery Drivers Seat Plain w/Cloth Insert Upholstery Drivers Seat Gray Upholstery Pass Seat Gray Upholstery Drivers Seat Vinyl 42oz Upholstery Barrier Vinyl 42oz Upholstery Pass Seat Vinyl 42oz
Floor	Floor Covering, Gray Trim Floor Covering Aluminum Floor Covering Koroseal Koroseal Step Treads Pebble Top w/ White Nose
Fans	Fan Defrost Left Metal Case Fan Defrost Right Metal Case
Heater/Filter	Heater Hose Clamp Constant Torque Filter Heater Air Left Rear 84,500 BTU Driver's Heater 90,000 BTU Heater Left Rear 84,500 BTU Htr Stepwell 50,000 BTU Heater Water Pump Switches Rear Heater Valve Htr Cut-off Ball with Butterfly Handle
Roof Hatch	Front Roof Vent Static Roof Hatch Front Specialty 9245 with Alarm Roof Hatch Rear Specialty 9245 with Alarm
Barrier/Modesty Panel	Barrier After Ent Door 39" 1 leg Barrier Aft Drv 39" 1 leg Modesty Panel Aft of Entrance
Lights	Headlights, Halogen; Includes Daytime Running Lights Lights Back up 2-7 inch Dia Lights Dir Frt 7 In Amb on Cowl Side Turn Amb 1 each side Lights, Marker, Front, Rear (4) Two Amber Front and Two Red Rear, Armor Type Single 1500 Hour 2cp Bulb Each Light Lights Stop and Tail 2 7in Stop Light Only Light Indicator Emergency Dr Red Wired to Buzzer Light Driver's Deluxe w/ Separate Switch Switch Dome Lights Separate for Rear Row Dome Lights Light Step Wired to Clearance Lights Flasher 8-Lamp Sequential Operation, Red Lights Activate after Amber Lights, With Road Speed Parameters Exterior Light Check

Lights (cont)	4 Dual Black Hoods
Seat Anchors	Anchor Seats Omit Reinforcements for Seat Belts
Stop Arm	Stop Arm Frt Elec Specialty 18" Scotchlite
Strobe	Strobe Light Rear, Specialty 2 1/4", Low Profile Double Flash, With Separate Power Pack, Mounted in Rear Bulkhead Left Side
Radio/Speakers	Speakers and Wiring 2 Flush Mtd in Light Bar Radio AM/FM-Mplx/Ant/Cable Pub Address
Mirror	Inside Mirror 6" x 30" Mirror Crossview Ext Htd Blk Rosco Mirror, Ext Rview; Rosco Blk Heated
Safety Equipment	Post Trip Inspection Monitor Alarm Backing Ecco #850 112 DB First Aid Kit for IA Body Fluid Kit for NE (use for IA) Safety Equipment Fire Extinguisher/Axe Mtd Inside Comp Safety Triangles Warning Reflectors Fire Extinguisher Driver Area 5lbs 2A-40BC Reflectors, Rear (2) 3", Red Adhesive Back Reflectors, Side, Rear (2) 3" Red Adhesive Back Reflectors, Side, Front (2) 3" Amber Adhesive Back Reflectors, Side Intermediate (2) 3" Amber, Adhesive Back Belt Cutter "Safecut" Cut Seat Belts
Bulkhead	Latch Bulkhead Door
Fenders/Mud Flaps	Mud Flaps Front 2 Mud Flaps Rear 2
Customer Approval	_____
	Subject to Availability Price good for 30 days
Price \$	_____