

Spec #1314

Customer: _____ Date: _____

Contact: _____ Phone: _____

Fax: _____ Salesman: _____

IC Conventional School Bus

Capacity: 44+ WB: 254

TIRES	11R22.5 Continental HSR2 14ply 11R22.5 Continental HDR1 14ply International Wheel Seals (Front)
CROSSING GATE	Crossing Gate/Front/Electric/Yellow/Bumper Mount Switch Interrupt Crossing Gate
AXLES/SUSPENSIONS	Meritor MFS-10-122A 10,000# Front Axle 10-K Front Parabolic Susp. Axle, Rear, Single 19,800# Meritor Air Susp-21K (9.25"RH)
BRAKES	Omit Parking Brake Dual Air Brake System Drain Valve Berg Manual with Pull Chain for Air Tank Bendix Air Brakes ABS Air Dryer Bendix (AD-9) Brake Chambers, Front Axle Haldex 20 Sqli Brake Chambers, Rear Axle Haldex 30/30 Spring Brake Brakes, Front, Air Cam; 15.0" x 4.0" Brakes, Rear, Air Cam 16.5" x 7.0" Bendix Tu-Flo 550 Air Compressor Parking Brake Interlock Control, Chassis Air Drain Clip & Cable for Air Tank Drain Valve
STEERING	Steering Gear Sheppard M-100 Power
EXHAUST	Exhaust System Single, Horizontal Aftertreatment Device Frame Mounted Right Side, Includes Long Horizontal Tailpipe Tail Pipe Long Horizontal, Exits Left Side Through Bumper
ELECTRICAL	Alternator Leece-Neville 12 volt 220 Amp 3-12v Fleetrite M/F 1950ccabatts Headlights, Halogen; Includes Daytime Running Lights Start Motor (Delco 38MT Type 300) Indicator, Low Coolant Level with Audible Alarm Headlight Warning Buzzer Switch, Battery Shut Off, in Battery Box
ENGINE	Engine Block Heater 120v-1250w MaxxForce DT EPA 10 230 HP Fan Drive, Borg-Warner SA85, Viscous Screw On Type Radiator, Aluminum Electronic Throttle Air Cleaner with Service Protection Element Electronic Cruise Control Governor, Electronic Road Speed
TRANSMISSION	Allison 2500 PTS5-SP L/PTO Less Retarder Trans Oil - Synthetic 20 thru 28 Pints Shift Control Parameters Allison Load Based Shift Schedules
FUEL	Fuel/Water Separator w/ Heater and Fuel Filter w/ Chg Ind 65gal STL Tank, between Rails w/ Cage
BODY	Oil Temperature Gauge (Auto Trans)

BODY	<p>Conv 78"HR 31'2" +9 Frt/RR 66 Pass 254WB Skirt Body Conv 20" 16ga Hand Rail Ent Door Forward Stainless Steel; Curved Hand Rail Ent Door Stainless Steel 4" Above Step</p>
DOOR	<p>Glass Guard Inside Back-up in Lower Section of Rear Door Latch Lift Door Single 3 Point Slide Bar Lock Vandal Rear Door w/Ignition Starter Interlock Lock Vandal Single Lift Door w/Ignition Starter Inter Door Front Ent Out Opening Electric Split Glass w/ Vandal Lock</p> <p>Switch Location, Redundant Right Side Door Controls; Steering Wheel and Left of Driver; Includes Master Flasher Switch, Flasher On/Off Control, and Red Override Control</p>
HANDICAP	<p>Lift Door Single Aft Entr Door 78" HR 43x69.25" W/C Lift Braun NL919IB Gen 2 Interlock Liftchair w/Auto Trans Only Track Type Q'Straint L Track Track Floor Length 101"-150" w/ Shoulder Track (2) Track Tiedown Retractable Reinforcement, Shoulder Track Track Tiedown Type Qstraint Q-8107-A1-L2 w/ Fittings on Shoulder</p>
SAFETY	<p>Post Trip Inspection Monitor Alarm Backing Ecco #850 112 DB First Aid Kit for IA Noise Supression Switch, with red switch in panel Body Fluid Kit for NE Fire Extinguisher Driver Area 5lbs 2A-40BC Belt Cutter "Safecut" Cut Seat Belts</p>
FLOOR	<p>Sub Floor Plywood 5/8" B-B Marine Grade Koroseal Step Treads Pebble Top w/ White Nose Floor Covering, Type Koroseal One Piece Vinyl Dark Gray</p>
WINDOW	<p>Window Lower Rear Door Laminated Clear Window Lift Dr Storm Single Window Entrance Door Bottom Laminated Clear Window Driver Storm Window Stops 12" Opening Window Entrance Door Top Storm Laminated Clear Window K/O Left (2) Vertical Hinge Window K/O Right (2) Vertical Hinge Window Tint, Pass, Conv 28% Tempered Windshield; 3 Flat Pieces, 73% Light</p>
BARRIERS	<p>Barrier Crash LH 2nd Pos 39" 1 Leg Padded Stanchion Aft Ent Door 30" Barrier Crash After Driver 30" 1 Leg Barrier Crash Right 1st Pos 30" 1 Leg Crash Barrier Track Left 1st Pos. 39"</p>
SEATS/UPHOLSTERY	<p>Upholstery Pass Seats Vinyl 52oz for (17-18) Seats Arm Rest Driver National Seat Upholstery Drivers Seat Gray Upholstery Pass Seat Gray Upholstery Drivers Seat Vinyl 42oz Upholstery Barrier (3-4) Vinyl 52oz (4) Left Seat Tracks 4 Leg 39" Driver Seat National 2000 Seat Pass Left 2 Leg 26" (01) Seat Pass Left 2 Leg 39" (4)</p>

SEATS/UPHOLSTERY	Seat Pass Right 2 Leg 30" (9) Seat Back, Passenger High Back
HEATERS	Heater, Driver 90,000 BTU with Defroster and Without Rear Heat Duct Floor Covering, Gray Heater Hose Clamp Constant Torque Heater Left Rear 84,500 BTU Heater Pass Right Rear 50,000 BTU Htr Stepwell 50,000 BTU Heater Water Pump Switches Rear Heater Valve Htr Cut-off Ball with Butterfly Handle Valve Htr Cut-off I/S Brass Ball I/S Forward of Drv Htr Heater Pipe Parallel Front
ROOF HATCH	Roof Hatch Front Transpec 1975 with Outside Release and English Decals Roof Hatch Rear Transpec 1975 with Outside Release and English Decals
LIGHTS	Light Entry Door In Skirt Behind Ent Door Wired to Step Light Lights Back up 2-7 inch Dia Lights Dir Frt 7 In Amb on Cowl Side Turn Amb 1 each side Light Above Lift Door Ext Light Act by Lift Door Lights, Marker, Front, Rear (4) Two Amber Front and Two Red Rear, Armor Type Single 1500 Hour 2cp Bulb Each Light Lights Stop and Tail 2 7in Stop Light Only Circuit Breakers Man Reset Light Indicator Emergency Dr Red Wired to Buzzer Ignition Switch Disconnect Body Switch Lift Operation Rocker Switch Dash Mtd Light Driver's Deluxe w/ Separate Switch Light Indicator Lift Door Red 3" on Bulkhead Interior Light Above Lift Door w/Door Operated Switch Lights Dome Two Full Rows Conv Switch Dome Lights Separate for Rear Row Dome Lights Light Step Wired to Clearance Lights Light Indicator Lift Door Amb Flashing in Drv's Area Flasher 8-Lamp Sequential Operation, Red Lights Activate after Amber Lights, With Road Speed Parameters Exterior Light Check Strobe Light Rear, Specialty 2 1/4", Low Profile Double Flash, With Separate Power Pack, Mounted in Rear Bulkhead Left Side 4 Dual Black Hoods Light, Cluster; Amber Front, Red Rear LED
RADIO/SPEAKERS	Speakers and Wiring 4 Flush Mtd in Light Bar Radio AM/FM/CD Weather Band & PA with 4 speakers
MIRROR/VISOR	Mirror, Rear View, Exterior Rosco Open View, Black, Heated, Non-Detent Inside Mirror 6" x 30" Mirror Crossview Ext Htd Blk Rosco
STOP ARM	Stop Arm, Front, Specialty Electric, 18" Octagon, Double Sided, 1/2" White Boarder, Hi Intensity, Flashing RED Incandescent Lights
FENDERS	Fenders Rubber Rear

Customer Approval

Price \$
